

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
North Plainfield Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	----	----	----	----	----
AIDS-Any OI	#	#	#	#	18	31
AIDS-CD4 Only	18	32	0	0	18	31
HIV Only	#	#	#	#	23	39
-----	----	----	----	----	----	----
Total	57	100	#	#	59	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	----	-----	----	----	----	----	----	----
<5	0	0	White, Not Hispanic	20	35	0	0	20	34
5-12	#	#	Black, Not Hispanic	#	#	#	#	24	41
13-19	#	#	Hispanic	13	23	0	0	13	22
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	15	25	-----	----	----	----	----	----	----
40-49	19	32	Total	57	100	#	#	59	100
50+	17	29							
Unk.	0	0							
-----	----	----							
Total	59	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	----	-----	----	-----	----
Men sex with men (MSM)	17	44	0	0	17	30
Injection drug user (IDU)	#	#	#	#	7	13
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	16	41	5	29	21	38
-----	-----	----	-----	----	-----	----
Total	39	100	17	100	56	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	----	-----	----	-----	----
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	----	-----	----	-----	----
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
North Plainfield Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	22	(31)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	24	(34)
KS Alone	#	(4)	#	(#)	0	(.)	#	(#)
No Disease Listed	#	(#)	#	(#)	0	(.)	#	(#)
Total	68	(100)	34	(52)	#	(#)	71	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	31	44
5-12	0	0	Black, Not Hispanic	#	#	#	#	26	37
13-19	#	#	Hispanic	14	21	0	0	14	20
20-29	16	23	Other/Unknown	0	0	0	0	0	0
30-39	23	32	-----	-----	-----	-----	-----	-----	-----
40-49	19	27	Total	68	100	#	#	71	100
Over 49	9	13							
Unknown	0	0							
Total	71	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	23	45	0	0	23	34
Injection drug user (IDU)	11	22	7	41	18	26
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	9	13
Risk not reported/other***	#	#	#	#	#	#
Total	51	100	17	100	68	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
North Plainfield Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	.%
1985	#	#	#
1986	#	#	#
1988	8	7	88%
1989	#	#	#
1990	6	5	83%
1992	#	#	#
1993	#	#	#
1994	7	5	71%
1995	#	#	#
1996	7	#	#
1997	6	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	6	0	0%
2002	#	0	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	71	35	49%